ANNUAL INDEX

Volume 83
2006

Subject

A

Acid number
  Measurement of, in biodiesel, 567
Acid value
  Compared with peroxide value in assessing food quality and safety, 473
  Lack of correlation of, with peroxide value in fried foods, 473
  Of theobroma fat following its ozonization, 943
Acidolysis
  Catalyzed by lipase, 609
  Lipase-catalyzed, of menhaden oil, 109
  Optimization of, of menhaden oil with respect to temperature and enzyme loading, 109
Acyl migration
  Factors affecting, in lipase-catalyzed transesterification, 609
  Influences on, in lipase-catalyzed transesterification, 609
Adhesive(s)
  Bond quality of soy-based phenolic, in plywood, 231
  Exterior-grade, 231
  Phenol-formaldehyde, 231
  Soy-based phenolic, in pine plywood, 231
Adsorption
  Of FAME on $AgNO_3/SiO_2$ adsorbents, 645
Agonoscelis pubescens (sorghum bug)
  Chemical, physical, and sensory parameters of oil extracted from, 529
  Oil extracted from, found in Sudan, 529
  Oxidative stability of oil extracted from, 529
Alcohol
  Benefits of consumption of, to patients with coronary heart disease, 985
Alcoholysis
  Lipase-catalyzed, of soybean oil to produce biodiesel, 929
Aldehyde(s)
  Lipophilic, formation of, with time in thermally oxidized soybean oil, 121
Almond(s)
  As source of natural antioxidants, 223
  Free radical-scavenging capacities of, 223
Aluminum oxide
  As support for $CuSO_4$ and $AgNO_3$ in column chromatography of PUFA, 659
Amidation
  Of 10-hydroxystearic acid and 10-ketostearic acid *via* lipase catalysis, 671
Amines, fatty. *See* Fatty amines
Amino acid(s)
  Fractionation of, in major proteins in *Cuphea* meal, 785
  In proteins from *Cuphea* seeds, 785
Antioxidant(s)
  Activity of phenolic acids and esters as, depends on number of –OH groups in molecule, 223
  Bioactive phenolic compounds as, 223
  Capacity of flaxseed lignans, 835
  Efficacy of, from almond extracts compared with model systems, 223
  Efficacy of, from whole almonds, almond skins, and outer green shells of almonds, 223
  Found in specialty edible seed oils, 847
  In fruit and fruit products as determined by inhibition of pyrazine formation, 697
  Properties of lycopene when added to extra virgin olive oil, 933
  Sinapic acid and sinapine as, 523
  Use of, to protect the stability of biodiesel formed from used palm oil, 947
AOCS Official Method(s)
  Ce 1h-05, for determination of FA in oils and fats, 475
Apricot kernel
  Carbohydrate, oil, and protein content of, 469
  Chemical constituents of, 469
  Fatty acid content of, 469
Aquaculture
  Content of essential fatty acids in tambaqui raised through, vs. content in captured fish, 707
Arachidonic acid
  Content of, in captured and farmed tambaqui (*Colossoma macropomum*), 707
  Enrichment of, from fungal single-cell oil by column chromatography, 659
Artificial neural network(s)
  As tool in developing calibration method for FA analysis in soybeans, 421
  Performance degradation in NIR spectroscopic analysis of FA in soybeans by small sample numbers, 421
Aspirin
  Influence of, on risk of cardiovascular disease risk, 985
ASTM
  Evaluation of, D 974 for determination of acid number value in biodiesel, 567
  Methods for determination of acid value in biodiesel vs. AOCS methods, 567
Atomic absorption spectroscopy (AAS)
  Electrothermal atomization for determination of Mn and Ni in neem oil by, 401
  Emulsion sampling for determination of Mn and Ni in neem oil by, 401
Autoxidation
  Of olive oil as monitored by content of pheophytin α degradation products, 371
Avena sativa. *See* Oat
Avrami equation
  use of, to fit isothermal crystallization kinetics data, 1
Avrami model
  Modified form of, to describe lipid crystallization kinetics, 913
  To describe growth behavior of fat blends, 489
  To describe isothermal crystallization kinetics of fats, 489

B

Bacillus megaterium ALA2
  Production of initial products in the linoleic acid oxidation by, 677

Copyright © 2006 by AOCS Press

Production of oxygenated FA by, from linoleic acid, 677
Bacillus sphaericus
Synthesis of 10-ketostearic acid from oleic acid by, 671
Binary fat blends
Equilibrium solid fat contents of, 571
Biobased feedstock(s) *see* Feedstock(s), Biobased
Bioconversion
Of linoleic acid to oxygenated fatty acids, 677
Of oleic acid to 10-hydroxystearic acid and 10-ketostearic acid, 671
Biodegradability
Of chemically modified lubricants made from vegetable oils, 129
Of lubricants formed from vegetable oils, 725
Biodiesel
Blends with petrodiesel, 823
Butanolysis of vegetable oils to form, 1041, 1047
Comparison of methods for refining of, 457
Conversion of used palm oil to, 947
Contaminants of, 823
Enzymatic transterification of sunflower oil for production of, 21
Ethanolysis of vegetable oils to form, 1041, 1047
From transesterification of vegetable oils, 1041, 1047
Fuel quality of, 823
Induction period of, formed from used palm oil, 947
Influence of chain length of component esters on viscosity of, 353
Methanolysis of vegetable oils to form, 1041, 1047
Influence of double bonds in esters of, on viscosity of, 353
Kinetics of formation of, from *Pongamia* oil, 873
Lipase-catalyzed alcoholysis of soybean oil to produce, 929
Methods for determination of acid number values in, 567
Methods to determine completeness of transesterification in formation of, 869
Methods for process control in industrial production of, 869
Multivariate analysis to follow synthesis of, from soybean oil, 597
Physical properties of, 823
Possible production from castor oil and from cottonseed oil, 819
Production of, from seed cakes of *Cynara cardulus*, cotton, sunflower, and sesame, 53
Production of, from seed cakes subjected to ultrasonication, 53
Production of standard, by using NaOH or CH_3ONa as catalyst, 641
Production of standard, from low-acid-number vegetable oils, 641
Production monitoring of, 823
Standard reference methods for analysis of, 823
Synthesis and evaluation of a series of α-hydroxy ethers for use as, 959
Synthesis of, from soybean oil by single chemical reaction, 641
Use of branched FA in, 547
Use of homogeneous catalyst with alkyl esters from vegetable oils to form, 79
Use of oxolane (THF) as co-solvent in synthesis of standard, 641
Use of Raman spectroscopy to monitor synthesis of, 597
Bioengineering
Of oil seeds to produce C_{18} and C_{20} PUFA, 171
Biofuels
Protection of stability of, formed from used palm oil by antioxidants, 947
Biolubricant
Use of branched FA in, 547
Bioreactor
Use of, for production of 10-hydroxystearic acid and 10-ketostearic acid, 671
Biorenewables
Use of, from agricultural byproducts to produce sophorolipids, 621
Bitter index
Of olive oil as a function of seasonal temperature and rainfall variations, 683
Bleaching earth
Residual oil from spent, as source of biodiesel, 947
Blends of fats
Influence of sucrose esters on composition of solids content of fat blends, 489
Bloom. *See* Fat bloom
Boundary lubrication
Of canola, soybean, and jojoba seed oils, 559
Bovine milk fat
Regiospecific position of 18:1 *cis* and *trans* 18:1 monoenoic FA in, 407
Bran
Extraction of lipids from, with supercritical CO_2 and propane, 885
Butanol
Transesterification of vegetable oils with, 1041
Butylated hydroxytoluene (2,6-di-*tert*-butyl-*p*-cresol; BHT)
Determination of, in palm olein and palm oil, 187
By-product
Extraction of oryzanol as a, of rice bran oil and rice bran oil soapstock, 663

C

Calmodulin
Inhibition of, -dependent neuronal nitric oxide synthase, 335
Candida antarctica
Ethanolysis with immobilized lipase from, for regiospecific analysis of TAG, 923
Lipase from, in formation of epoxidized soybean oil, 247
Candida rugosa
Lipase from, used to esterify L-menthol to enrich CLA isomers, 93
Cannabis sativa seed oil
Constituents of oil from, 323
Content of, from cold-pressed seed, 323
Fatty acid content, 323
Oxidative stability of, 855
Oxidative stability of, from which minor components have been stripped, 855
Physical properties of, 323
Role of bioactive constituents in oxidative stability of, 855
Canola oil
Film-forming properties and boundary lubrication of, 559
Fractionation of FAME from, on $AgNO_3/SiO_2$ adsorbents, 645
Prevention of degradation of, by flaxseed lignans, 835
Removal of saturated acyl groups from free fatty acids derived from, by urea inclusion compound-based fractionation, 253
β-Carotene
Comparison of, with lycopene as preservative for extra virgin olive oil, 933
Production of, from red palm methyl esters by nanofiltration, 365
Carotenoid(s)
As preservatives for extra virgin olive oil, 933
Extraction of, from rosa mosqueta shells, 691
In specialty edible seed oils, 847
Interaction with tocols to protect hazelnut oil against thermal oxidation, 691
Kinetics of degradation of, in hazelnut oil, 691
Variation in content of, in pulp oil from *Hippophae* spp., 359
Castor oil
Epoxidation of, 147
Films formed from epoxidized, reacted with tetraethoxysilane, 147
Formation of fatty acid ethyl esters from, as possible source of biodiesel, 819
Properties of films formed from epoxidized, reacted with tetraethoxysilane, 147
Reaction of, and epoxidized, with tetraethoxysilane, 147
Catalysis
Enzymatic, of transesterification of sunflower oil, 21
Lipase, of 10-hydroxystearic acid and 10-ketostearic acid, 671
Catalyst(s)
Chemical, vs. lipase for incorporation of epoxy and fatty acids into soy phospholipids, 1015
Supramolecular-assembled mesoporous, for conversion of oils and fats into biobased feedstocks, 79

Cellulase
Effect of treatment with, on protein extraction yield from defatted soy flakes, 71
Treatment of defatted soybean flakes with, has limited effect on intact soy bean cell walls, 71
Ceramer (= ceramic polymer)
Coatings from castor oil, 147
Chemical markers
Of walnut (*Juglans regia*) genotypes, 791
Chemical refining
Effects of, on components of rice bran oil, 315
Chemometrics
Of determining FA in soybeans, 421
Use of, to group vegetable oils by principal component analysis, 303
Chocolate
Surface roughness of bloomed, fractal analysis of, 193
Cholesterol
Effect of oleate of, as inhibitor of oxidation in soybean oil at frying temperature, 1027
Formation of gels of, with γ-oryzanol in sunflower oil, 513
CIE parameters
Relation of, to other chemometric parameters of vegetable oils, 303
CLA. *See* Conjugated linoleic acid(s)
Clavibacter sp. ALA2. *See Bacillus megaterium* ALA2
Cloud point
Of biodiesel composed of α-hydroxy ethers derived from isopropyl oleate, 959
CMC. *See* Critical micelle concentration
Coatings
Ceramer, from castor oil/epoxidized castor oil and tetraethoxysilane, 147
Cocoa butter
Effect of high hydrostatic pressure on polymorphic transitions in, 1007
Effect of sucrose esters on molymorphic transitions in, 1007
Effect of shear on crystallization of, at 20°C, 583
Modeling of spray-freezing of, 1053
Polymorphic transitions in, 1007
Rheological parameters used to characterize the crystallization of, 583
Colossoma macropomum. *See* Tambaqui
Composition
Chemical, of sunflower seed oil as influenced by microwave heating, 777
Concentration
Of eicosapentaenoic acid from commercial fish oil, 215
Of eicosapentaenoic acid from *Phaeodactylum tricornutum* single-cell oil, 215
β-Conglycinin
Removal of carbohydrate moieties from, by pectinase treatment, 71
Conjugated linoleic acid(s) (CLA)
Enzymatic esterification of, with glycerol to form TAG, 35
Isomers of, fractionated and enriched with L-menthol and *Candida rugosa* lipase, 93
Purification of, for use as a food supplement, 93
Use of solvent fractionation to separate isomers of, 261
Conversion
Of oils and fats using functionalized mesoporous silicas to produce biobased feedstocks, 79
Copper sulfate
Al_2O_3-supported, in column chromatography of PUFA to produce enriched arachidonic acid, 659
Comparison with $AgNO_3$ in column chromatography of PUFA, 659
Copra and copra meal
Comparison of oil content in, by SFE vs. Soxhlet extraction, 11
Oil content of, determined by supercritical fluid extraction, 11
Coriander (*Coriandrum*)
As source of petroselinic acid, 429
Coronary heart disease
Relation of consumption of alcohol to risk of, 985
Relation of consumption of aspirin to risk of, 985
Relation of consumption of n-3 fatty acids to risk of, 985
Relation of consumption of red wine to risk of, 985
Relation of consumption of statin drugs to risk of, 985
Cottonseed oil
Extraction by ultrasound, 53
Formation of fatty acid ethyl esters from, as possible source of biodiesel, 819
CP-Sil 88
Column in GC determination of FA in oils and fats, 475
Critical micelle concentration (CMC)
Of modified soy phospholipids containing hydroxy and epoxy fatty acids, 1015
Crop season
Influence of, on phenolic content and composition of virgin olive oil, 683
Crystal network(s)
Fractal dimension of fat, 389
Microstructure and fractal analysis of fat, 377
Crystallization
Comparison of, of α-, β-, and β′-forms, 1
Driving forces in, of β- vs. β′-forms, 1
Kinetics of, of lipids, 913
Nucleation during, 1
Of cocoa butter at 20°C with or without shear, 583
Of lipids as described by a modified Avrami model, 913
Of mixture of high-melting and low-melting lipid systems, 389
Of tristearin/tripalmitin mixtures, kinetics of, 1
Crystallization temperature
Effect of fatty acid branching on, of FA esters/biodiesel, 353
Influence of fatty acid chain length on, of FA esters/biodiesel, 353
Lowering of, by unsaturation in FA esters/biodiesel, 353
Cuphea seed protein(s)
Amino acid composition of proteins from, 785
As source of proteins for value-added products, 713
Emulsifying properties of, 713
Essential amino acids in proteins from, 785
Foaming properties of, 713
Functional properties of, 713
Solubility of, 713
Cynara cardulus
Oil extracted from, for use in biodiesel production, 53

D

Daphne
Extraction of oil from seeds of, 953
Influence of particle size on extraction of oil from seeds of, 953
Supercritical CO_2 extraction of oil from seeds of, 953
Deep-fat frying
Comparison of methods to monitor oil quality during, 15
Effect of terpenyl esters on oxidation of soybean oil used in, 1027
Evaluation of method to monitor oil quality during, 15
Preparation of potatoes by, in oil extracted from *Agonoscelis pubescens*, 529
Preparation of potatoes by, in oil extracted from *Sclerocarya birrea*, 529
Suitability of oil extracted from *Agonoscelis pubescens* for, of potatoes, 529
Suitability of oil extracted from *Sclerocarya birrea* for, of potatoes, 529
Degradation
Evaluation of, products in heat-abused oil, 15
Freeze-induced, of sunflower seed components, 539
Degumming
Of rapeseed oil by enzymatic process, 653
Of rapeseed oil with microbial lipases, 653
Plant trial of rapeseed oil, with microbial lipases, 653

Deodorization
Effect of, on phytosterols, tocotrienols, and oryzanol in rice bran oil, 315
Of crude olive oil and relation to amount of remaining phenolic compounds, 153
Diacid(s)
Condensation of glycerol with, 1033
Hyperbranched oligomers formed by condensation of glycerol with: azelaic and succinic acids, 1033
Linear oligomers formed by condensation of glycerol with the, iminodiacetic acid, 1033
Diacylglycerol(s) (DAG)
Biocatalytic and autocatalytic esterification of oils with, 443
Effect of hydrogen bonding in, on gelation with ricinelaidic acid, 497
Enantiomeric purity of *sn*-2,3-DAG, 603
Excess alcohol use in production of *sn*-2,3-DAG, 603
Kinetics of formation of, from triacylglycerols of *Pongamia* oil, 873
Preparation of optically pure *sn*-2,3-DAG, 603
Diafiltration
Of *Brassica juncea* L. protein isolates, 65
Dicarboxylic acid(s)
Synthesis of α,ω-, from monounsaturated FA by self-metathesis, 629
Differential scanning calorimetry (DSC)
Crystallization kinetics of tripalmitin/tristearin mixtures studied using, 1
Determination of heat of fusion by, comparison with Hildebrand equation for, 505
Determination of melting temperatures by, comparison with Hildebrand equation for, 505
Use in determining enthalpies of oils and oil blends, 739
Use of, to determine melting points and heats of fusion of branched-chain fatty esters, 547
Diglyceride(s) *See* Diacylglycerols (DAG)
Dihydrocholesterol
Formation of gels of, with γ-oryzanol in sunflower oil, 513
Docosahexaenoic acid (DHA)
Content of, in captured and farmed tambaqui (*Colossoma macropomum*), 707
Effect of high temperatures on losses of, in GLC processing of, 1069
In oil extracted from viscera of farm-raised Atlantic salmon, 615
Losses of, during GLC of methyl esters of, 1069
Production of, in plants, 171
Recovery of, in urea compounds-based fractionation of free fatty acids, 253
Regiospecific analysis of oils containing, 923
Theoretical correction factors in GLC analysis of, 1069
Droplet size distribution
Of the water phase in water-emulsified extra virgin olive oil, 165
DSC. *See* Differential scanning calorimetry

E

Eicosapentaenoic acid (EPA)
Concentration of, by selective esterification of fish oil and single-cell oil with lipases, 215
Content of, in captured and farmed tambaqui (*Colossoma macropomum*), 707
Effect of high temperatures on losses of, in GLC processing of, 1069
In oil extracted from viscera of farm-raised Atlantic salmon, 615
Losses of, during GLC of methyl esters of, 1069
Production of, in plants, 171
Recovery of, in urea compounds-based fractionation of free fatty acids, 253
Recovery of, not a function of initial concentration in free fatty acid mixture, 215
Regiospecific analysis of oils containing, 923
Theoretical correction factors in GLC analysis of, 1069
Elastohydrodynamic lubrication
Effect of chemical and physical properties of canola, soybean, and jojoba seed oils on, 559
Embryonic axes
Molecular species of TAG and tocopherols in soybean, 345
Emulsification
Of extra virgin olive oil with water, 165
Use of membrane extraction to avoid, in refining biodiesel, 457
Emulsion(s)
As a method for sample introduction in Mn and Ni determination in neem oil by atomic absorption spectroscopy, 401
Stabilization of spray-dried, containing tuna oil and/or palm stearin, 965
Structure and effect on olive oil susceptibility to oxidation, 165
Enrichment
Of conjugated linoleic acid isomers for use as a food supplement, 93
Enthalpy
Of melting determined with differential scanning calorimetry, 739
Of partial melting determined with differential scanning calorimetry, 739
Environmental effect(s)
Of location on fatty acid composition of soybean oil, 759
Of temperature on fatty acid composition of soybean oil, 759
Of year on fatty acid composition of soybean oil, 759
Enzyme(s). *See also* individual enzymes
Functionality of soy protein produced by extraction aided by, 71
Immobilized, for reactions in organic solvent, 209
Kinetics of -catalyzed hydrolysis of ethylene glycol monoesters and diesters, 201
Used in synthesis of epoxidized soybean oil, 247
Use of
in degumming of rapeseed oil, 653
to enhance efficiency of oil extraction from dehulled soybeans, 973
to esterify free fatty acids in rice bran, palm, oil, and palm kernel oil, 443
to hydrolyze soy flour protein, 731
to increase soy protein extractability, 71
Enzyme inhibition
Kinetics of, of calmodulin-dependent neuronal nitric oxide synthase in presence of flaxseed protein hydroysate, 335
Epoxidation
In situ, of soybean oil by immobilized lipase in toluene, 247
Kinetics of, of soybean oil by immobilized lipase in toluene, 247
Of castor oil, 147
Of karanja oil with peroxyacetic acid generated from H_2O_2/acetic acid, 635
Of linoleic acid by *Bacillus megaterium* ALA2, 677
Parameters affecting rate of, of karanja oil, 635
Thermodynamic properties of, of karanja oil, 635
Epoxy fatty acids
Influence of incorporation of, into soy phospholipids on their surface-active properties, 1015
12,13-Epoxy-9(Z)-octadecenoic acid
Production from linoleic acid by *Bacillus megaterium* ALA2, 677
Equilibrium constant(s)
For transesterification of *Pongamia* oil with methanol, 873
Erucic acid
Self-metathesis of, in presence of Grubbs catalyst to yield unsaturated α,ω-dicarboxylic acid and monounsaturated hydrocarbon, 629
Essential fatty acids (EFA)
Correlation of content of, in captured tambaqui with season, 707
In muscle and orbital cavity tissues of Brazilian tambaqui, 707
Production of, in plants, 171
Esterification
Autocatalytic, of vegetable oils to produce edible-grade oil, 443
Enzymatic, of vegetable oils to produce edible-grade oil, 443
Of conjugated linoleic acid with L-menthol and *Candida rugosa* lipase, 93
Of fatty acids by mesoporous silica materials to produce biobased feed stocks, 79
Of glycerol and CLA with lipase blends, 35
Of lauric acid and benzyl alcohol in isooctane on hollow-fiber membrane, 209
Selective enzymatic, of lauryl alcohol, 215

Esters
Formation of, by oleic and petroselinic acids with 8 alcohols, 429
Isolation and melting properties of branched-chain, from lanolin, 547
Melting points and heats of fusion of isopropyl, from lanolin, 547
Melting points and heats of fusion of methyl, from lanolin, 547
Rates of formation of oleic acid and triolein at 30°C, 429
Ethanol
Solvent extraction of, from aqueous solutions with biobased oils, alcohols, esters, 153
Transesterification of vegetable oils with, 1041, 1047
Ethanolysis
Acid-catalyzed vs. base-catalyzed, of castor oil and of cottonseed oil, 819
Influence of monoacid chain length on, of TAG, 603
Method based on, for regiospecific analysis of long-chain PUFA, 923
Of monoacid TAG to form *sn*-2,3-DAG, 603
Etherification
Of olefin products from vegetable oil to produce sulfur-free, high-octane gasoline, 79
Ethyl esters
Synthesis as biodiesel by transesterification of soybean oil, 597
Euler characteristic
Used to describe microstructure characteristics of a fat system, 389
Expeller pressing
Effects of, on use of soybean oil for frying, 435
Extraction
Aqueous, of dehulled soybeans to enhance oil recovery, 973
Effect of impurities on oryzanol, from rice bran oil and rice bran oil soap stock, 663
Enzyme-assisted, of soy flakes, 71
Increased protein, by enzymatic breakdown of plant tissue structures, 71
Of oil from copra and copra meal by supercritical fluid, 11
Of protein from
defatted soy flakes, 71
oriental mustard seed, 65
Of rosehip oil by cold pressing, with and without enzymatic pretreatment, 771
Of TAG by application of ultrasound to seed cakes, 53
Solvents for, of rice bran oil, 885
Supercritical fluid, of rice bran oil, 885
Using hollow fiber membranes to refine biodiesel, 457
Extra virgin olive oil. *See also* Olive oil
Susceptibility of water-emulsified, to oxidation, 165
Extruded-expelled flour
Hydrolysis of, from soybeans to improve solubility and functional properties, 731
Extrusion
And refunctionalizing of heat-denatured soy protein isolate, 39
Of dehulled soybeans as a means to enhance oil extraction efficiency, 973

F

FA. *See* Fatty acid(s)
FAME. *See* Fatty acid methyl ester(s)
Farnesol
Effect of oleate of, as oxidation inhibitor in soybean oil at frying temperature, 1027
Fat bloom
Of chocolate and relation to surface roughness, 193
Fat crystal networks
Fractal dimensions of, 309
Microstructure of, related to rheological properties of fat-structured products, 309
Simulation of, 309
Fat(s)
Mechanical properties of, 377
Microstructure and fractal analysis of crystal networks of, 377
Fatty acid(s) (FA)
Analysis of, by AOCS Official Method Ce 1h-05, 475
Analysis of *trans*, by GC method, 475
Calibration methods for measuring, by NIR spectroscopy in soybeans, 421
Content of major, in oil from cold-pressed *Cannabis sativa* seeds, 323
Content of palmitic, oleic and linoleic, in peanut, rice bran, safflower, and sunflower seed oils, 117
Contents of, in vegetable oils in relation to oil viscosity, 899
Effect of chain length of, on CLA isomer fractionation, 261
Effect of microwave heating on, composition in sunflower seed oil, 777
In pulp oil from *Hippophae* spp., 359
In specialty edible seed oils, 847
Methods for determination of, as minor components in biodiesel, 567
Modification of, by lipase from *Avena sativa*, 1021
Relation of composition of, in oils to other parameters, 303
Fatty acid(s). *See also* Hydroxy fatty acids, Monoenoic fatty acid(s)
Fatty acid composition
Environmental effects on, of soybeans, 759
Fatty acid epoxide
Modification of, by lipase from *Avena sativa*, 1021
Quantification of, without derivatization, 1021
Fatty acid methyl ester(s) (FAME)
Depletion of polyunsaturated, by fractionation on $AgNO_3/SiO_2$ adsorbents, 645
Fractionation of, from soybean and canola oil, 645
FTIR use to follow formation of, from TAG, 53
Main component of biodiesel, measurement of acid value in, 567
Production of, from sunflower oil by enzymatic cataiysis, 21
Reduction of linolenic acid in vegetable oil by fractionation of, 645
Fatty amides
Product of primary, from 10-hydroxystearic acid and 10-ketostearic acid, 671
Fatty amines
Isolation of, in protected form, 621
Preparation of, from methyl 17-hydroxy oleate, 621
Feedstock(s)
Biobased, by conversion of oils and fats using functionalized mesoporous silicas, 79
Ferulic acid
As substituent of mono-, di-, and triacylglycerols, 753
Feruloylated lipids
Identification and quantification of, 753
FFA. *See* Free fatty acid(s)
Film(s)
Formed from castor oil/epoxidized castor oil reacted with tetraethoxysilane, 147
Inorganic-organic hybrid, 147
Properties of, formed from epoxidized castor oil reacted with tetraethoxysilane, 147
Fish oil(s)
As source of long-chain PUFA, 171
Engineering of, in plants to produce long-chain PUFA, 171
Extraction from fillets of farm-raised Atlantic salmon, 615
Extraction from viscera of farm-raised Atlantic salmon, 615
Isolation of di- and polyunsaturated acyl groups from free fatty acids derived from, 253
Flavonols
Content of, in pulp oil from *Hippophae* spp., 350
Flavor
Of potatoes French-fried in expeller-pressed, physically refined soybean oil, 435
Flaxseed
Antioxidant capacity of lignans from, 835
Isolation of peptides from, proteins for use as nutraceuticals, 335
Secoisolariciresinol from, 835
Secoisolariciresinol diglucoside from, 835
Flaxseed oil
Oxidative stability of, 855
Oxidative stability of, from which minor components have been stripped, 855

Role of bioactive constituents in oxidative stability of, 855
Fluorescence
Technique for front-face solid sample polyamide, in determining oxidation, 697
Food quality/food safety
Assessment by peroxide value vs. acid value, 473
Fourier-transform infrared (FTIR) spectroscopy
Comparison of, with HPLC as method for determining BHT in vegetable oils, 187
Suitability of routine use of, for determining BHT in palm olein and palm oil, 187
Use of, method to determine BHT in palm olein and palm oil, 187
Fractal analysis
Consistency of facet-based scattering with surface roughness of stored chocolate, 193
Fractal dimension(s)
Determination of,
by polarized light microscopy, 309
by small-deformation dynamic rheology, 309
of fats by microscopy and rheology, 377
Measures of, of fat crystal networks to describe microstructural features, 377
Of fat crystal networks, 309
Richardson plot and particle counting methods to determine, of fat crystal networks, 389
Sensitivity of, to crystal size, morphology, and spatial distribution of mass in fat crystal network, 377
Fractionation
Effect of
cooling program on, of free fatty acids, 253
chain length on CLA isomer separation insolvent, process, 261
temperature of crystallization on efficiency of CLA isomer, 261
Of conjugated linoleic acid by selective esterification with L-menthol and *Candida rugosa* lipase, 93
Of free fatty acids with urea inclusion compounds, 253
Of proteins from *Cuphea* seeds, 785
Of wheat germ oil components by supercritical CO_2, 863
Solvent, to separate CLA isomers in the presence of medium-chain fatty acids, 261
Free fatty acid(s) (FFA)
Contents of, in peanut, rice bran, safflower, and sunflower seed oils, 117
Correlation of lipase activity with formation of, during storage of heat-treated wheat bran, 415
Enzymatic and autocatalytic esterification of, in palm kernel, palm, and rice bran oils, 443
Formation of, during frying in regular vs. high-oleic sunflower oil, 331
Fraction of, from fish and vegetable oils with urea inclusion compounds, 253
Higher levels of, in rice bran oils than other commercial vegetable oils, 117
Influence of choice of indicators on determination of, in oil containing oryzanol, 999
Influence of oryzanol content in oil on determination of, 999
In wheat germ oil extracted with hexane and with supercritical CO_2, 863
Quantification of, without derivatization, 1021
Relation of, to oryzanol content in rice bran oil, 117
Removal of, from wheat germ oil by supercritical CO_2 extraction/fractionation, 863
SafTest™ method for, vs. AOCS Official Method, 15
French-fried. *See* Potatoes, French-fried
Fried food(s)
Evaluation of instant noodles as, by peroxide value vs. acid value, 473
Fat and oil deterioration in, 473
Fruit(s)
Natural antioxidants in, as determined by inhibition of pyrazine formation, 697
Frying. *See also* Deep-fat frying
Effect of intermittent vs. continuous, on formation of 4-hydroxy-2-*trans*-nonenal in soybean oil, 121
Frying oil
Of expeller-pressed, physically refined soybean oil vs. hexane-extracted and hydrogenated soybean oil, 435
Oxidative stability of used, as feedstock for preparation of biodiesel, 947
Frying oil stability
Limitation of prediction of, on basis of FA composition in sunflower oil, 331
Of high-oleic acid sunflower oil, 331
Of regular sunflower oil, 331
Fuel properties
Of biodiesel and biodiesel blends, 823
Influence of contaminants and minor components on, of biodiesel, 823
Functional properties
Of *Cuphea* seed protein(s), 713
Of extruded-expelled soy flour protein, 731

G

Gas chromatography (GC)
As tool in separating esters of petroselinic acid and oleic acid, 429
Comparison of CP-Sil 88 and SP-2560, columns for FA determinations, 475
Gelation
Kinetics of, of ricinelaidic acid with vegetable oils, 497
Gels
Stability and structure of, formed from vegetable oil and ricinelaidic acid, 497
Geraniol
Effect of oleate of, as inhibitor of oxidation in soybean oil at frying temperature, 1027
Gloss
Inverse relationship of, and surface roughness in stored chocolate, 193
Glycerol
Acid-catalyzed condensation of, with diacids, 1033
Esterification with CLA of, by blended lipases to form TAG, 35
Formation of, during transesterification of vegetable oils, 1047
Hyperbranched oligomers formed by condensation of, with two diacids: azelaic and succinic, 1033
Linear oligomers formed by condensation of, with iminodiacetic acid, 1033
Glycerolysis
Low-temperature, of sunflower oil to produce heat-sensitive MAG, 27
Optimization of enzymatic, of sunflower oil in *tert*-pentanol, 27
Response surface methodology to optimize enzymatic, of sunflower oil, 27
Glycolipids
Extracellular, produced by *Candida* spp., 137
In seed kernels of sunflower mutants, 539
Gossypol
Chemistry of, and its derivatives, 269
Condensation chemistry of, with activated hydrogen, 269
Contraceptive effects of, 269
Oxidation of, 269
Polyphenolic structure of, 269
Reaction chemistry of, 269
Reduction of, 269
Schiff's bases of, 269
Stereochemistry of, 269
Toxicity of, to monogastric animals, 269
Groundnut oil. *See* Peanut oil
Group Contribution with Association Equation of State
Use of, to model phase behavior in hydrogenation of vegetables oils and derivatives under supercritical or high pressure 461
Grubbs catalyst(s)
Use of, in catalyzing synthesis of unsaturated α,ω-dicarboxylic acids *via* self-metathesis, 629

H

Hazelnut seed oil
Protection of, against thermal oxidation by carotenoid-tocopherol interaction, 691
Health benefits
Of consumption of n-3 fatty acids, 985
Heat of fusion
Of high-melting fats by DSC and by calculation from Hildebrand equation, 505
Helianthus annuus. *See* Sunflower
Hemp. *See Cannabis sativa* seed oil
High-performance liquid chromatography (HPLC)
Method for identifying and quantifying feruloylated lipids, 753
Use of, to analyze components in sesame seed oil, 719
Use of to analyze components of sunflower seed kernels, 539
Hildebrand equation
For determination of melting temperatures and heats of fusion, 505
Hippophae (sea buckthorn) spp.
Pulp oil from, 359
FA, tocols, and carotenoids in pulp oil from, 359
Homologous series
Partition coefficients for an, of saturated carboxylic acids (C_1–C_{30}), 747
Hydrogenation
Lack of effect of catalyst support on, of soybean oil with palladium catalysts, 1063
Of soybean oil with palladium catalysts on carbon or alumina, 1063
Of tea seed oil, 841
Phase-equilibrium modeling of, of vegetable oils and derivatives at supercritical or high-pressure conditions, 461
Hydrogenolysis
Phase-equilibrium modeling of, of binary systems, 461
Phase-equilibrium modeling of, of fatty acid methyl esters, 461
Predictions for phase-equilibrium modeling of, of ternary systems, 461
Hydrogen peroxide
Use of, in epoxidation of karanja oil, 635
Hydrolysis
Enzyme, of extruded-expelled soy flour protein, 731
Lipase-catalyzed, of ethylene glycol mono- and diesters, 201
Hydroperoxide(s)
Formation of, in theobroma fat following ozonization, 943
In rapeseed meal, related to phenolic compound and tocopherol contents, 523
Partial conversion of fatty acids to epoxide derivatives in presence of, and deoxycholate or $CaCl_2$, 1021
Hydrostatic pressure
Effect of high, on polymorphic transitions in cocoa butter, 1007
Hydrothermal cooking
Effects of precipitating and washing temperatures on retention of, during processing of soy protein isolates, 59
Gel formation after sequential alkali and water treatment of heat-denatured soy protein refunctionalized by, 39
Of heat-denatured soy protein isolate with alkali increases solubility and viscosity, 39
Of heat-denatured soy protein isolate with water disrupts large aggregates, 39
Hydrothermal treatment
Of soy flour protein to improve solubility and functional properties, 731
α-Hydroxy ethers
Synthesis and evaluation of a series of, for use as biodiesel, 959
Hydroxy fatty acids
Influence of incorporation of, into soy phospholipids on their surface-active properties, 1015
Use of, to synthesize polyfunctional fatty amines, 621
Hydroxyl value
As a tool for determining transesterification in formation of biodiesel, 869
10-Hydroxystearic acid
Production of, from oleic acid by *Shingobacterium thalpophilum* grown in Mn-containing medium, 671
4-Hydroxy-2-*trans*-nonenal
Absorption of, in fried food in same proportion as in frying medium, 121
Formation of, in thermally oxidized soybean oil, 121
Formation of, as a function of heating time in soybean oil, 121
Formation of, as cumulative result of PUFA oxidation in soybean oil, 121
Hyperbranching
Of oligomers formed by condensation of glycerol with diacids, 1033

I

Ideal solution. *See* Solution, ideal
Image analysis
To identify microstructural features of model lipid systems, 389
Indicators, titration
Influence of choice of, in determination of free fatty acid content in oils containing oryzanol, 999
Induction period
Enhancement of, in biodiesel formed from used palm oil by added antioxidants, 947
Interesterification
Chemical, of blends of palm kernel olein, palm oil, and sunflower oil, 739
Chemical, of hydrogenated and nonhydrogenated tea seed oil, 841
Iodine value
Inexactness of the determination of, in theobroma fat, 943
Isoflavone(s)
In low-fiber soybean protein concentrate vs. ethanol-washed soy protein concentrate and soy protein isolate, 803
Retention of, during processing of soy protein isolates, 59
Isopropyl esters
Use of, in formation of α-hydroxy ethers for use as biodiesel, 959

J

Jet cooking
Of extruded-expelled soy flour protein to improve solubility and functional properties, 731
Jojoba oil
Film-forming properties and boundary lubrication of, 559
Juglans regia (walnut)
Fatty acid, unsaponifiable, and volatile constituents of oil from seeds of, 791

K

Karanja oil
Epoxidation of, with peroxyacetic acid generation from H_2O_2/acetic acid, 635
10-Ketostearic acid
Production of, from oleic acid by *Shingobacterium thalpophilum* grown in the presence of pyruvate, 671
Kinetics
Crystallization
mass transfer resistance effect on, 1
of tristearin/tripalmitin mixtures, 1
Inhibition of calmodulin-dependent neuronal nitric oxide synthase in presence of flaxseed protein hydroysate, 335
Michaelis–Menten plot of, of hydrolysis of ethylene glycol mono- and diesters, 201
Of base-catalyzed transesterification of triacylglycerols from *Pongamia* oil, 873
Of crystallization of cocoa butter at 20°C with or without shear, 583
Of crystallization of lipids described by a modified Avrami model, 913
Of degradation of carotenoids in hazelnut oil, 691
Of epoxidation of karanja oil, 635
Of fat blend crystallization, 489
Of lipase-catalyzed hydrolysis of ethylene glycol mono- and diesters, 201
Of soybean oil epoxidation with immobilized *Candida antarctica* lipase, 247

L

Laboratory methods
  For synthesis of standard biodiesel, 641
Lanolin
  Melting points and heats of fusion of branched fatty esters from, 547
Lauric acid
  Esterification of, in organic solvent on hollow-fiber lipase-immobilized membrane, 209
  High content of, in seeds from daphne tree, 953
Laurus nobilis. *See* Daphne
Lignan(s)
  Antioxidant capacity of, from flaxseed, 835
  Content of oil-soluble, in sesame seeds as compared with lignan glucosides, 719
  Prevention of canola oil degradation with, from flaxseed, 835
  Sesame seeds as a good dietary source of, 719
Lignan glucosides
  Comparison of, with oil-soluble lignans in sesame seeds, 719
  Determination of, in sesame seed oil 719
Lime
  Comparison of, with soda in neutralizing high-acid olive oil, 879
Linalool
  Effect of oleate of, as inhibitor of oxidation in soybean oil at frying temperature, 1027
  Lack of relationship of double bond structure of oleate of, to its inhibitory activity toward soybean oil oxidation, 1027
Linoleic acid
  Content of, in captured and farmed tambaqui (*Colossoma macropomum*), 707
  Conversion of, to oxygenated fatty acids by *Bacillus megaterium* ALA2, 677
  Conversion of, to oxygenated fatty acids by *Bacillus subtilis*, 677
  Epoxidation of, by *Bacillus megaterium* ALA2, 677
  In oil from cold-pressed *Cannabis sativa* seeds, 323
  Oxidation of, by monooxygenase systems of *Bacillus megaterium* and *B. subtilis*, 677
α-Linolenic acid
  In oil from cold-pressed *Cannabis sativa* seeds, 323
γ-acid
  As a medically important long-chain PUFA, 171
  Content of, in captured and farmed tambaqui (*Colossoma macropomum*), 707
Lipase(s)
  Activity of, as indicator of wheat and wheat bran storage quality, 415
  Activity of immobilized, that is polymerized onto hollow-fiber membrane notably higher than with native, 209
  As catalysts to produce eicosapentaenoic acid concentrates from free fatty extracts of fish and microalgae, 215
  Blends of, in esterification of CLA and glycerol, 35
  Candida antarctica, in acidolysis of menhaden oil, 109
  Candida rugosa, to fractionate and enrich conjugated linoleic acid, 93
  Catalysis of transesterification between soybean PC and caprylic acid, 609
  Comparison of, vs. chemical catalyst on incorporation of epoxy and fatty acids into soy phospholipids, 1015
  Correlation of, activity with FFA formation during storage of heat-treated bran, 415
  Esterification with,
    from *Alcaligenes* sp., 35
    from *Penicillium camembertii*, 35
    from *Rhizomucor miehei*, 35
  From
    Avena sativa used to modify fatty acids or their derivatives, 1021
    Candida antarctica in regiospecific analysis of TAG, 923
    Pseudomonas sp. in hydrolysis of ethylene glycol mono- and diesters, 201
    Rhizomucor miehei as catalyst for alcoholysis of soybean oil to produce biodiesel, 929
    Rhizomucor miehei in production of optically pure *sn*-2,3-DAG, 603
    Rhizopus sp. 209
  Glycerolysis with, from *Candida antarctica*, 27
  Immobilized, from *Candida antarctica* in synthesis of epoxidized soybean oil, 247
  Immobilized, on anion-exchange hollow-fiber membrane for esterification in organic solvent, 209
  Nonregiospecific, in formation of structured lipids, 109
  Optimal conditions for measurement of activity of, in wheat and wheat bran, 415
  Regiospecific, in formation of structured lipids, 109
  Rhizomucor miehei, in acidolysis of menhaden oil, 109
  Transesterification with,
    from *Humicola insolens*, 21
    from *Rhizomucor miehei*, 21
  Use of immobilized, from *Candida antarctica* to transesterify trilinolein or trilinolenin, 101
  Use of,
    for transesterification of sunflower oil with methanol, 21
    to catalyze transesterifications of ethyl ferulate and soybean oil, 753
    transesterification of mono-, di-, and triacylglycerols, 765
Lipase catalysis
  In production of primary amides of 10-hydroxystearic acid and 10-ketostearic acid, 671
Lipid(s)
  Extraction of, from rice bran oil with supercritical CO_2 and propane, 885
  Identification and quantification of, containing feruloylated acylglycerols, 753
  Microstructures of, 389
  Solubility behavior of high-melting in low-melting, 505
  Use of modified Avrami model to describe crystallization of, 913
Lipids, structured. *See* Structured lipids
Lubricant(s)
  Film thickness of, as affected by chemical and physical properties of vegetable oils, 559
  Methoxylation of methyl oleate to form biodegradable, 725
Lubrication
  Antiwear performance of soybean oil in tests of lubrication 47
  Effects of oxidative stability and low temperature performance on soybean oil for, 47
  Mixed-film, in canola, soybean and jojoba seed oils, 559
  Properties of biodegradable vegetable oils vs. mineral oils for, 129
Lupin
  Production of proteins of, by ultrafiltration-diafiltration, 553
  Rheological properties of defatted, proteins, 553
Lycopene
  As an antioxidant preservative for extra virgin olive oil, 933

M

MAG. *See* Monoacylglycerol(s)
Maillard reaction
  Influence of products of, on stability of soybean oil used for frying potatoes, 435
  Modification of, browning in microwaved model system, 697
  Products of, in stabilization of spray-dried emulsions of tuna oil and/or palm stearin, 965
Manganese
  Determination of, by AAS in neem oil with emulsion sample introduction, 401
Margarine
  Production of, from tea seed oil and sunflower oil, 841
Marine oil(s)
  As substrates in regiospecific analysis of TAG containing long-chain PUFA, 923
Meal quality
  Of rosehips following oil extraction by solvent, cold pressing, and enzymatic means, 771

Melting behavior
Dependence of, of samples of hydrogenated soybean oil dependent on rate of hydrogenation, 1063
Melting points
Of isopropyl and methyl esters from lanolin, 547
Membrane extraction. *See* Extraction
Membrane processes
To produce protein isolates from *Brassica juncea* L., 65
To reduce levels of unbound antinutritional components in protein isolates, 65
Use of, in extracting protein from oriental mustard seed, 65
Membrane(s)
Filtration, for production of β-carotene from red palm oil/methyl esters, 365
Menhaden oil
Lipase-catalyzed acidolysis of, with pinolenic acid, 109
L-Menthol
And *Candida rugosa* lipase used to esterify conjugated linoleic acid isomers, 93
Mesoporous silica
Use of, in conversion of oils and fats into biobased feedstocks, 79
Use of, in fractionation of FAME in combination with $AgNO_3$, 645
Metathesis
Grubbs catalyst(s) used in solvent-free self-, of monounsaturated carboxylic acids to form unsaturated α,ω-dicarboxylic acids, 629
Use of, in synthesis of long-chain dicarboxylic acids, 629
Methanol
Method using Al_2O_3-supported $CuSO_4$ column chromatography to purify, 659
Transesterification of vegetable oils with, 1041, 1047
Method
Qualification of, for monitoring frying oil quality, 15
SafTest™, for monitoring frying oil quality, 15
Methoxylation
In the presence of zeolites as catalysts, 725
Of methyl oleate into methyl methoxy stearate, 725
Methyl ester(s)
Recovery of, from transesterified red palm oil by nanofiltration, 365
Methyl oleate
Methoxylation of, in the presence of zeolites as catalysts, 725
Microencapsulation
Of spray-dried emulsions of oils with heated protein-glucose syrup mixtures, 965
Microextraction
Use of, in determination of purazine, 697
Microscopy
Scanning laser, in study of surface roughness in stored chocolate, 193
Microstructure(s)
Mechanical properties of fats and their, 377
Nearest neighbor analysis of images of, in model lipid systems, 389
Of cocoa butter subjected to spray-freezing in Form V/VI, 1053
Of fat crystal networks, 377
Of food fats subjected to spray-freezing, 1053
Of tripalmitin subjected to spray freezing in β form, 1053
Quantification of, for model lipid systems, 389
Microstructure density
Definition of, in describing microstructure of model lipid systems, 389
Microwave heating
Effect of, on fatty acid composition of sunflower seed oil, 777
Effect of, on oil composition of sunflower seeds, 777
Effect of length of, on sunflower seed oil composition, 777
Milk fat
Crystallization of high-melting fraction of, in presence of sucrose esters, 489
Regiospecific position of 18:1 *cis* and *trans* 18:1 monoenoic FA in bovine, 407
Minkowski functionals
For analysis of spatial distribution of fat crystals in a fat crystal network, 389
Model(s)
Comparison of, of oil viscosity, 899
Physical, of relationship between mechanical properties of fats and their microstructure, 377
Use of Williams-Landel-Ferry, to describe effects of temperature on vegetable oil viscosity, 899
Modeling
Phase-equilibrium, of hydrogenation of vegetable oils and derivatives, 461
Monacylglycerols (MAG)
Analysis for, in the determination of FA profiles of TAG containing long-chain PUFA, 923
Biocatalytic and autocatalytic esterification of oils with, 443
Heat-sensitive, produced by enzymatic glycerolysis of sunflower oil, 27
Influence of enzyme amount and reaction time on production of, 27
Kinetics of formation of, from diacylglycerols in process of transesterification of *Pongamia* oil, 873
Production of, by lipase-catalyzed glycerolysis in *tert*-pentanol, 27
Monoenoic fatty acids
Regiospecific position of 18:1 *cis* and *trans*, in bovine milk fat TAG, 407
Monooxygenase system(s)
Similarity of, in *Bacillus megaterium* ALA2 and two strains of B. *subtilis*, 739
Monounsaturated fatty acid(s)
Contents of, in vegetable oils in relation to oil viscosity, 899
Morphology
Of cocoa butter crystals formed at 20°C with or without shear, 583
Of fat crystals and fat crystal networks, 377
Mucor miehei
Lipase from, in bioctalytic esterification of vegetable oils, 443
Mutation
Use of, within soybean cultivars to study environmental effects on fatty composition, 759

N

Nanofibers
As components of organogels made from ricinelaidic acid and vegetable oils, 497
Nanofiltration
As means of production of β-carotene from red palm methyl esters, 365
Near IR spectroscopy
Comparison of performance of calibration methods in measuring FA in soybeans by, 421
Use of, to measure FA in soybeans, 421
Neem oil
Derived from *Azadirachta indica*, 401
Determination of manganese and nickel in, 401
Neuronal nitric oxide synthase
Estimation by fluorescence spectroscopy, 335
Unfolding of enzyme structure affected by binding of peptides to calmodulin, 335
Neutralization
Of olive oil with soda vs. lime, 879
Of olive-residue oil with soda vs. lime, 879
Nickel
Determination of, by AAS in neem oil with emulsion sample introduction, 401
^{13}C NMR spectroscopy
Suitability of, in determining regioisomeric composition of long-chain PUFA, 923
Nuclear magnetic resonance spectroscopy
Use of, to identify branched-chain fatty esters from lanolin, 547
Nutraceuticals
Production of, from flaxseed protein hydrolysate, 335

O

Oat seed
As inexpensive source of enzymes for modification of fatty acids or their derivatives, 1021

Oil(s)
Extraction of, from soybeans using flaking and extrusion as mechanical treatments in enzyme-assisted aqueous processing, 973
Stabilization of emulsions of, 965
Oil bodies
As tocopherol-containing organelles of sunflower seeds, 341
Oil processing
Of *Cuphea* seeds, 713
Oil quality
Of soybeans, as affected by environmental parameters, 759
Oil refining
By supercritical CO_2 fractionation, 863
Oil stability
Effects of expeller pressing and physical refining on, of soybean oil under conditions of French-frying, 435
Of highly acidic olive oil and olive-residue oil, 879
Of highly acidic olive oils as related to natural antioxidant content, 879
Oil-in-water emulsions
Determination of solid fat content of the fat-oil phase in, 905
Oleic acid
As starting material for methoxylation into methyl methoxy stearate, 725
Effect on concentration of, on chemoenzymatic epoxidation of soybean oil, 247
Rate of esterification of, with 8 alcohols at 30°C, 429
Self-metathesis of, in presence of Grubbs catalyst to yield unsaturated α,ω-dicarboxylic acid and monounsaturated hydrocarbon, 629
Olein
Palm kernel, chemical interesterification of, 739
Palm kernel, chemical interesterification of blends containing, 739
Oligosaccharides
Content of, in low-fiber soybean protein concentrate, 803
Content of, in normal soybeans, 803
Olive oil
Addition of new washing step prior to olive oil refinement to reduce phenolic compounds, 159
Chemical indices in monitoring the quality of, 371
Composition of monovarietal virgin, with respect to phenolic fraction, 683
Influence of seasonal temperatures on phenolic content and composition of, 683
Monitoring quality control of, by content of pheophytin α degradation products, 371
Neutralization of, having high acidities with lime and with soda, 879
Refining of crude, to eliminate phenolic compounds, 159
Olive-residue oil
Neutralization of, having high acidities with lime and with soda, 879
Omega-3 fatty acid(s). *See also* n-3 Fatty acid(s)
Health benefits of consumption of, with respect to coronary heart disease, 985
One-step reaction
In synthesis of standard biodiesel, 641
Onion seed oil
Chemical and physical properties of, 847
Optical interferometry
As a tool to measure film-forming properties and boundary lubrication, 559
Optimization
Of lipase-catalyzed alcoholysis of soybean oil to produce biodiesel, 929
Of rapeseed oil degumming, 653
Organogels
Enthalpy of melting of, formed in sunflower oil containing γ-oryzanol + phytosterols, 513
Factors affecting formation of, in sunflower oil containing γ-oryzanol + phytosterols, 513
Properties of, made from ricinelaidic acid and vegetable oils, 497
Rheological properties of, formed in sunflower oil containing γ-oryzanol + phytosterols, 513
Oriental mustard seed. *See also Brassica juncea* L.
As potential source of edible protein, 65
γ-Oryzanol
Used as an oil-structuring agent, 513
Oryzanol
Acidity of, 999
Content of, in rice bran oil, 117
Effect of, content on measurement of free fatty acids in rice bran oil, 999
Extraction and purification of, from rice bran oil, 663
Extraction and purification of, from rice bran oil soapstock, 663
Loss of, from rice bran oil during alkali treatment or neutralization, 315
Oxidation
Effect of oxygen levels in headspace on soybean oil, in polyethylene terephthalate bottles, 797
Effect of terpenyl esters on, of soybean oil at frying temperature, 1027
Inhibition of, as measured by pyrazine formation, 697
Of fatty acids to epoxide derivatives in the presence of hydroperoxide, deoxycholate, or $CaCl_2$, 1021
Of highly acidic olive oils as related to natural antioxidant content, 879
Of linoleic acid in soybean oil to form 4-hydroxy-2-*trans*-nonenal, 121
Of lipids from rapeseed meal, as related to phenolic compound and tocopherol contents, 523
Of soybean oil stored in polyethylene terephthalate bottles, 797
Susceptibility to, of water-emulsified extra virgin olive oil, 165
Thermal, of hazelnut oil in absence and presence of tocols/carotenoids, 691
Oxidative stability
Contribution of fatty acids, tocopherols, and pigments to, of flaxseed and hempseed oil, 855
Effects of double bonds on, vegetable oils as lubricants, 47
Modification of fatty acid structure of soybean oil to improve, 47
Of chemically modified vs. unmodified lubricant base fluids made from vegetable oils, 129
Of diester-triacylglycerol derivatives formed from soybean oil, 129
Of flaxseed oil, 855
Of hempseed oil, 855
Of hazelnut oil as influenced by extract of rosa mosqueta shells, 691
Of oil from cold-pressed *Cannabis sativa* seeds, 323
Of oils microencapsulated with heated protein-glucose syrup mixtures, 965
Of olive oil as a function of seasonal temperature and rainfall variations, 683
Of soybean oil stored in polyethylene terephthalate bottles, 797
Of specialty edible seed oils, 847
Of sunflower seed oil subjected to microwave heating, 777
Of used palm oil as feedstock to form biodiesel, 947
Oxygen
Influence of, in head space of polyethylene terephthalate bottles on soy bean oil, 797
Ozonation
Analysis of theobroma fat following, 943

P

Palladium
On two different supports as catalyst for soybean oil hydrogenation, 1063
Palm kernel oil
Biocatalytic and autocatalytic esterification of, using mono- and diglycerides, 443
Palm oil
As source of β-carotene, 365
Biocatalytic and autocatalytic esterification of, using mono- and diglycerides, 443
Chemical interesterification of, 739
Chemical interesterification of blends containing, 739
Determination in, of BHT by FTIR spectroscopy, 187
Extraction and recovery of β-carotene from, 365
Oxidative stability of used, as feedstock for preparation of biodiesel, 947
Palm olein
Determination in, of BHT by FTIR spectroscopy, 187
Palmitoleic acid

In pulp oil from *Hippophae* spp., 359
Parsley seed oil
Chemical and physical properties of, 847
Partial least squares
As tool in developing calibration method for FA analysis in soybeans, 421
To establish calibration model for synthesis of biodiesel from soybean oil, 597
Partition coefficient(s)
Calculation and prediction of, using structural descriptors, 747
For a homologous series of saturated carboxylic acids (C_1–C_{30}), 747
Partitioning
Of ethanol and water, distribution coefficients and separation factors for, 153
Of ethanol and water into vegetable oils, fatty alcohols and fatty esters, 153
Peanut oil
Composition of, with respect to color, antioxidants, FFA, and unsaponifiable matter, 117
Pectinase
Use of, to improve protein yields in aqueous extraction of defatted soy flakes, 71
Peroxide value(s) (PV)
As measure of oxidation in extra virgin olive oil, 933
Importance of, in assessing food quality and safety, 473
Lack of correlation of, with acid value in fried foods, 473
Of ozonized theobroma fat, 943
Peroxide(s)
Development of, in heat-abused oil, 15
Formation of, in rapeseed meal, related to phenolic compound and tocopherol contents, 523
SafTest™ method for, vs. AOCS Official Method, 15
Unsuitability of SafTest™ method for use in determining, in heat-abused oil, 15
Peroxyacetic acid
used to epoxidize karanja oil, 635
Peroxygenase
Use of, found in oat seeds to form derivatives of fatty acids, 1021
Petroselenic acid
Formation of esters of, as means to improve GC separation from oleic acid, 429
Improved method for GC resolution of, from oleic acid, 429
Phaeodactylum tricornutum
Concentration of eicosapentaenoic acid from single-cell oil from, 215
Phase behavior
During transesterification of vegetable oils to form biodiesel, 1041, 1047
Dye experiments to trace, during transesterification, 1041, 1047
Phenol(s)
Composition of, in monovarietal virgin olive oils, 683
Influence of seasonal temperatures on content and composition of, in virgin olive oil, 683
Phenolic acids
Antioxidant, in almond seeds, skins, and outer shells, 223
Phenolic compounds
Found in specialty edible seed oils, 847
Presence in refining by-products of crude olive oil, 159
Removal from during refinement from crude olive oil, 159
Sinapic acid and sinapine, in rapeseed meal, 523
Phenolic resins(s)
Neutral and alkaline soy-based, for production of three-ply plywood, 231
Pheophytin α
Degradation products of, in virgin olive oil, 371
Relation of light exposure of virgin olive oil to content of, 371
Phosphatidylcholine (PC)
In seeds from sunflower mutants, 539
Transesterification between, and caprylic acid in presence of lipase, 609
Phosphatidylethanolamine
In seeds from sunflower mutants, 539
Phospholipase D
In seeds from sunflower mutants, 539
Phospholipids
Accumulation of, in seed kernels of sunflower mutants, 539
Phosphorus
Reduction of, content in rapeseed oil with microbial lipases, 653
Photometric color index
Relation of, to other chemometric parameters of vegetable oils, 303
Physical properties
Heat of fusion of high-melting fats, 505
Of specialty edible seed oils, 847
Phytosterol(s)
Composition of, in rice bran oil, 449
Effect of chemical refining on, content of rice bran oil, 315
Soxhlet extraction of, from rice bran oil, 449
Pigments
Contribution of content of, to oxidative stability of flaxseed and hempseed oil, 855
Pine nut oil
Lipase-catalyzed acidolysis of menhaden oil with pinolenic acid from, 109
Pisciculture. *See* Aquaculture
Plywood
Use of soy-based phenolic adhesives in forming, 231
Polar compounds
Formation of, in model systems including hazelnut oil, tocols, and carotenoids, 691
Formation of, in sunflower oil during frying, 331
Polyalphaolefin
As a standard in measured elastohydrodynamic lubrication, 559
Polyethylene terephthalate (PET)
Oxidation of soybean oil stored in, bottles, 797
Polymerization
Immobilized lipase grafted to hollow-fiber membrane by, has increased activity because polymer acts as hydrophobic surfactant, 209
Radiation-induced graft, of anion-exchange hollow-fiber membrane for immobilized lipase reactions, 209
Polymers
Novel, formed by acid-catalyzed condensation of glycerol with diacids, 1033
Use of polyfunctional fatty amines in synthesis of, 621
Polymorphic transitions
Effects of high hydrostatic pressure and sucrose esters on, in cocoa butter, 1007
Polymorphism
Kinetics used to study, in tristearin/tripalmitin mixtures, 1
Of blends of high-melting fraction of milk fat + sunflower oil, 489
Of cocoa butter crystals formed with or without shear, 583
Of fat blends in the presence of sucrose esters, 489
Polymorphs
Of food fats subjected to spray-freezing, 1053
Polyphenols
Preservation of, against oxidation in extra virgin olive oil by added lycopene, 933
Polyunsaturated fatty acid(s) (PUFA)
And human health, 171
Biotechnological production of long-chain, in plants, 171
Contents of, in vegetable oils in relation to oil viscosity, 899
Fractionation of, from fungal single-cell oil to produce arachidonic acid, 659
In oil extracted from viscera of farm-raised Atlantic salmon, 615
Isolation of, from biologically derived free fatty acids, 253
Oxidation of, with time to form 4-hydroxy-2-*trans*-nonenal in soybean oil, 121
Slow cooling produces greater discrimination against, in urea inclusion compound-based fractionation, 253
Pongamia glabra. See Karanja oil
Pongamia oil
Use of nonedible, in synthesis of biodiesel, 873

Potatoes, French-fried
Effects of expeller-pressed, physically refined soybean oil on, prepared therein, 435
Pour point
Of biodiesel composed of α-hydroxy ethers derived from isopropyl oleate, 959
Of lubricant diester-triacylglycerols formed from soybean oil, 129
Pressure-viscosity coefficient
Effect of, on elastohydrodynamic lubrication, 559
Primary fatty amides. *See* Fatty amides.
Principal component analysis
Characterization of vegetable oils types by, 303
Classification of vegetable oils as crude or refined using, 303
Use of, to characterize edible oils, 303
Propane
Use of, in extraction of lipids from rice bran oil, 885
Protease
Application of, in enhancing efficiency of oil extraction from dehulled soybeans, 973
Protein
Content of, in *Cuphea* seeds, 785
Enzymatic hydrolysis of extruded-expelled soy flour, to improve solubility and functional properties, 731
In normal soybeans vs. high-sucrose/low-stachyose soybeans, 803
Ingredients prepared from high-sucrose/low-stachyose soybeans, 811
Isolates of, from oriental mustard seed, 65
Solubility of, from *Cuphea* seeds with respect to pH, 785
Protein functionality
Of concentrates prepared from high-sucrose/low-stachyose soybeans, 811
Protein hydrolysate
Produced from flaxseed protein as nutraceutical for binding of calmodulin, 335
Protein isolates
Diafiltration of, 65
Membrane-based process to produce, from *Brassica juncea* L., 65
Ultrafiltration of, 65
Prunus armeniaca. *See* Apricot kernel
Pseudomonas sp.
Lipase from, in hydrolysis of ethylene glycol mono- and diesters, 201
PUFA *see* Polyunsaturated fatty acid(s)
Pumpkin seed oil, roasted
Chemical and physical properties of, 847
Purification
Effect of impurities on, of oryzanol from rice bran oil and rice bran oil soapstock, 663
Of oryzanol extracted from rice bran oil, 663
Of oryzanol extracted from rice bran oil soapstock, 663
Pyrazine
Inhibition of formation of, by natural oxidants, 697
Pyropheophytin α
Relation to thermal abuse or lengthy storage of virgin olive oil to content of, 371

Q

Quality indices
For monitoring the history of virgin olive oil, 371

R

Raffinose
Content of, in normal soybeans vs. high-sucrose/low-stachyose soybeans, 803
Raman spectroscopy
Use of, to monitor synthesis of biodiesel from soybean oil, 597
Rancidity
Flaxseed lignans and prevention of, in oil-based food products, 835
Rapeseed meal
As source of sinapic acid derivatives, 523
Rate(s)
Of esterification of oleic acid and triolein, 429
Red wine
Health benefits of consumption of, with respect to coronary heart disease, 985
Refractive index
As a tool for determining transesterification in formation of biodiesel, 869
Regression analysis
To analyze partition coefficient calculations for saturated carboxylic acids (C_1–C_{30}), 747
Response surface methodology
Used to determine influence of factors on lipase-catalyzed transesterification, 609
Used to identify antioxidant activities of rapeseed meal components, 523
Use of, to optimize enzymatic degumming of rapeseed oil, 653
Use of, to optimize lipase-catalyzed alcoholysis of soybean oil to produce biodiesel, 929
Retinoic acid, all-*trans*-
Content in rosehip (*Rosa affinis rubiginosa*) oil, 771
Enhancement of extraction of, from rosehip (*Rosa affinis rubiginosa*) oil by cold-pressing extraction, 771
Reversed-phase HPLC
Separation of *trans* and *cis* monoenoic disaturated TAG by, 407
Reversed-phase HPTLC
Use of, in the determination of partition coefficients for a homologous series of saturated carboxylic acids (C_1–C_{30}), 747
Rheological properties
Of organogels made from ricinelaidic acid and vegetable oils, 497
Rheology
Concentration dependency of, of lupin proteins, 553
Influence of chemical structures on, of fatty esters/biodiesel, 353
Of cocoa butter crystals formed at 20°C with or without shear, 583
Of lupin proteins, 553
Quantification of, of fat-structured products, 309
Rhizomucor miehei
As source of lipase in transesterification between soybean PC and caprylic acid, 609
Lipase from, in alcoholysis of soybean oil to produce biodiesel, 929
Lipase from, in the preparation of optically pure *sn*-2,3-DAG, 603
Rhizopus sp.
Esterification by, lipase grafted to hollow-fiber anion-exchange membrane, 209
Rice bran
Extraction of, with supercritical CO_2 and propane to obtain rice bran oil, 885
Rice bran oil
Biocatalytic and autocatalytic esterification of, using mono- and diglycerides, 443
Composition of, with respect to color, antioxidants, FFA, and unsaponifiable matter, 117
Effect of deodorization on phytosterols, tocotrienols, and oryzanol in, 315
Extracted from rice bran with supercritical CO_2 and propane, 885
Extraction of nonpolar lipids from, 449
Extraction and purification of oryzanol from, 663
Influence of chemical refining on components of, 315
Influence of oryzanol content in, on determination of free fatty acids content in oils, 999
Levels of oryzanol in, 117
Loss of oryzanol during chemical refining of, 315
γ-Oryzanol as component of, and use as oil-structuring agent, 513
Purification and identification of fatty acid steryl and wax esters in, 449
Rice bran oil soapstock
Extraction of purification of oryzanol from, 663
Ricinoleic acid
Extraction of derivatives of, into ethanol, 153
Self-metathesis of, in presence of Grubbs catalyst to yield unsaturated α,ω-dicarboxylic acid and monounsaturated hydrocarbon, 629

R_M values
Derived from reversed-phase HPTLC in calculating partition coefficients, 747
Rosa affinis rubiginosa (rosa moqueta)
Extraction of oil from seeds of, by cold pressing, with and without enzymatic pretreatment, and with solvent, 771
Rosa mosqueta
Extracts of, shells as inhibitor of thermal oxidation in hazelnut oil, 691
Kinetics of extracts of, shells in preserving oxidative stability of hazelnut oil, 691
Rosa rubiginosa. *See* Rosa mosqueta
Rosehip oil
Content of all-*trans*-retinoic acid in, 771
Extraction of, from *Rosa affinis rubiginosa* seeds, 771

S

Safflower oil
Composition of, with respect to color, antioxidants, FFA, and unsaponifiable matter, 117
SafTest™ method, 15
Salmo salar L. (Atlantic salmon)
Fatty acids in fillets and viscera from, 615
Oil extracted from fillets and viscera of, 615
Saponins
Effects of precipitating and washing temperatures on distribution of, during processing of soy protein isolates, 59
Effects of precipitating and washing temperatures on retention of, during processing of soy protein isolates, 59
Retention of, during processing of soy protein isolates, 59
Saturated fatty acid(s)
In soybean oil, as affected by temperature during seed fill period, 759
Partition coefficients for a homologous series of, (C_1–C_{30}), 747
Sclerocarya birrea (Marula/Homeid tree)
Chemical, physical, and sensory parameters of oil extracted from, 529
Oil extracted from, found in Sudan, 529
Oxidative stability of oil extracted from, 529
Sea buckthorn. See *Hippophae*
Secoisolariciresinol diglucoside
From flaxseed, 835
Secoisolariciresinol
From flaxseed, 835
Selectivity
Of hydrogenation catalyzed by palladium on carbon vs. alumina supports, 1063
Self-assembly
Of ricinelaidic acid in organogels in the presence of hydroxyl-containing compounds, 497
Sensory evaluation
Of extruded-expelled soy flour protein, 731
Sesame seed oil
Extraction by ultrasound, 53
Sesame seeds
Oil from, as source of lignans and lignan glucosides, 719
Sesamin content of, 719
Sesamolin content of, 719
Sesamin
Content of, in sesame seed oil, 719
Sesamolin
Content of, in sesame seed oil, 719
SFE. *See* Supercritical fluid extraction
Shear
Effects of, on crystallization kinetics of cocoa butter at 20°C, 583
Effects of, on crystal polymorphic structure of cocoa butter at 20°C, 583
Shortening
Preparation of, as binary systems, 571
Silver ion chromatography
Of bovine milk fat TAG, 407
Silver nitrate
Comparison with copper sulfate in column chromatography of PUFA, 659
In combination with silica gel as adsorbent for separation of FAME from soybean and canola oil, 645
Silver nitrate–TLC method
To separate complex mixtures of TAG, 345
Single-cell oil
From fungi as source of arachidonic acid, 659
β-Sitosterol
Formation of gels of, with γ-oryzanol in sunflower oil, 513
Of oil phases in food products, 513
Soapstock
Extraction and purification of oryzanol from rice bran oil, 663
Solid content
Determination of, of emulsions by time-domain NMR spectroscopy, 905
Solid fat content (SFC)
Hardness of binary and ternary blends as related to, 571
In the fat-oil phase of oil-in-water emulsions, 905
Of binary blends, 571
Of ternary blends, 571
Prediction of hardness of ternary blends from, and hardness of binary blends, 571
Solid phase microextraction. *See* Microextraction
Solubility
Behavior of proteins from *Cuphea* seeds with respect to pH, 785
Of high-melting fats in low-melting fats, 505
Of various protein classes from *Cuphea* seeds, 785
Solution, ideal
Solubility behavior of high-melting fats in low-melting fats, 505
Solvent extraction
Liquid-liquid, for separating ethanol and higher alcohols, 153
Sophorolipid(s)
Acid alcoholysis of, to produce 17-hydroxy oleate, 621
Direct incorporation of hydrocarbons into, by *Candida bombicola*, 137
Formation of, having diacetylated lactone structure from hydroxycarboxylic acids by *Candida bombicola*, 137
Soxhlet extraction
Of wax esters and fatty acid steryl esters from rice bran oil, 449
Soybean(s)
Breeding of, to develop cultivars with desired fatty acid composition, 759
Changes in long-term compositional patterns of, 981
Composition of protein ingredients from high-sucrose/low-stachyose, 803
Extraction of oil from, using flaking and extrusion as mechanical treatments in enzyme-assisted aqueous processing, 973
High sucrose-containing, 811
Low stachyose-containing, 811
Impact of regional composition instability of, on processor yields, 981
Oil content in, as a function of place of origin, 981
Protein content in, as a function of place of origin, 981
Solubility and functional properties of flour from, 731
TAG in embryonic axes of, 345
Tocopherols in embryonic axes of, 345
Soybean oil
Chemically modified epoxidized, for use in lubrication, 129
Effect of oxygen levels in headspace on oxidation of, stored in polyethylene terephthalate bottles, 797
Effect of terpenyl oleates on oxidation of, at frying temperature, 1027
Epoxidation of, by immobilized *Candida antarctica* lipase, 247
Extraction of, using flaking and extrusion as mechanical treatments in enzyme-assisted aqueous processing, 973
Film-forming properties and boundary lubrication of, 559
Formation of 4-hydroxy-2-*trans*-nonenal in intermittently heated, 121
Forms of, evaluated for oxidation and wear properties, 47
Forms of, for use as lubricants, 47
Fractionation of FAME from, on $AgNO_3/SiO_2$ adsorbents, 645
Frying oil stability and flavor of potatoes fried in expeller-pressed and physically refined, 435

Lipase-catalyzed alcoholysis of, to produce biodiesel, 929
Micro-oxidation test of oxidative stability of, 47
Transesterification of, to make biodiesel (ethyl esters), monitoring of with Raman spectroscopy, 597
Soybean sugars
Composition of, in protein ingredients prepared from high-sucrose/low-stachyose cultivar, 803
Soy flour
Decay resistance of wood blocks treated with, -based preservatives, 239
Hydrolyzate of, for use in plywood adhesives, 231
Leachability of wood blocks treated with, -based preservatives, 239
Treatability of wood blocks treated with, -based preservatives, 239
Soy protein
As chelating agent in wood preservative formulations, 239
As metal-fixing biopolymer in wood preservative formulations, 239
Functional properties of, isolated from high-sucrose/low-stachyose soybeans, 811
Hydrolysis of, with protease as means to enhance oil extraction from soybeans, 973
Increased extractability of, by cellulose and pectinase, 71
Isolation of, from high-sucrose/low-stachyose soybeans, 811
Modified, used in wood adhesives, 231
Preservation of wood samples with copper and boron in combination with, 239
Production of, by enzyme-assisted extraction, 71
Protection of wood samples by, against fungal attack, 239
Use of, in combination with dried glucose syrup to stabilize oils by microencapsulation, 965
Soy protein concentrate
Composition of, prepared from normal and high-sucrose/low-stachyose soybeans, 803
Prepared from high-sucrose/low-stachyose soybeans, 811
Soy protein isolate(s)
Carbohydrate profiles in, treated with pectinase and cellulose, 71
Effect of precipitating and washing temperatures on protein contents of, 59
Extractability of, increases with alkali dispersion and hydrothermal cooking, 39
Mass balance of saponins during processing of, 59
Prepared from high-sucrose/low-stachyose soybeans, 811
Refunctionalization of heat-denatured, 39
Viscosity of, slurries after different treatments, 39
SP-2560
Column in GC determination of FA in oils and fats, 475
Sphingobacterium thalpophilum
Synthesis of 10-hydroxystearic acid by, 671
Spray drying
As means to stabilize microencapsulated emulsions formed from oil, protein, and dried glucose syrup, 965
Spray-freezing
Polymorphs produced by, of food fats, 1053
Surface structure vs. bulk structure of food fats subjected to, 1053
Stachyose
Content of, in protein ingredients prepared from high-sucrose/low-stachyose and normal soybean cultivars, 803
Standards
For use in analysis of biodiesel and biodiesel blends, 823
Statin drugs
Health benefits of consumption of, with respect to coronary heart disease, 985
Steryl ester, fatty acid
Composition and content of, in rice bran oil, 449
Structural descriptors
Used to calculate and predict partition coefficients for a homologous series of saturated carboxylic acids (C_1–C_{30}), 747
Structure–activity relationships
Study of, in lipase-catalyzed hydrolysis of ethylene glycol mono- and diesters, 201
Structured lipids
Biosynthesis of, from phenolic lipids by lipase-catalyzed transesterification, 101
Optimization of formation of, from lipase-catalyzed acidolysis of menhaden oil, 109
Regiospecificity of formation of, by lipase-catalyzed transesterification, 109
Structured phospholipids
Formed by lipase-catalyzed transesterification between soybean PC and caprylic acid, 609
Sucrose esters
Effect of, on solid fat content of sunflower oil and high-melting milk fat blends, 489
As emulsifier in blends of sunflower oil and high-melting milk fat blends, 489
Sucrose polyesters
Effect of, on polymorphic transitions in cocoa butter, 1007
Sunflower
Accumulation of phospholipids and glycolipids in seed kernels of mutants of, 539
Mutants of, and composition of seed kernels, 539
Sunflower oil
Chemical interesterification of, 739
Chemical interesterification of blends containing, 739
Composition of, with respect to color, antioxidants, FFA, and unsaponifiable matter, 117
Effect of microwave heating on the chemical composition of, 777
Enzymatic glycerolysis of, in *tert*-pentanol system, 27
Enzymatic transesterification of, in water/oil biphasic system, 21
Extraction by ultrasound, 53
Frying stability of high-oleic, 331
Frying stability of regular, 331
Gelling of, in presence of γ-oryzanol + phytosterols, 513
Influence of, on polymorphism and growth behavior of blends with high-melting fraction of milk fat, 489
Sunflower seed
Oil bodies from, as source of tocopherols, 341
Tocopherol content of oil body preparations from, 341
Total phenolic content of, oil bodies, 341
Supercritical carbon dioxide
Application of, as extraction and fractionation technique on wheat germ oil, 863
Effects of pressure and temperature on, extraction of daphne seed oil, 953
Use of, in extraction of oil from daphne seeds, 953
Use of, in extraction of lipids from rice bran oil, 885
Supercritical fluid extraction (SFE)
As quick method to determine oil in copra and copra meal, 11
Use of diatomaceous earth to speed up, of copra and copra meal, 11
Support material
Influence of, in palladium-catalyzed hydrogenation of soybean oil, 1063
Influence of, on *trans* isomer formation during palladium-catalyzed hydrogenation of soybean oil, 1063
Support vector machine(s)
Accuracy of models developed from, in developing calibration method for FA analysis in soybeans, 421
As tool in developing calibration method for FA analysis in soybeans, 421
Sensitivity of method to outliers and/or unusual samples, 421
Surface activity
Of modified soy phospholipids containing hydroxy and epoxy fatty acids, 1015
Surface excess concentration
Of modified soy phospholipids containing hydroxy and epoxy fatty acids, 1015
Surface tension
Of solutions of mono- and diacetylated lactones of sophorolipids, 137
Surface topography
Independence of fractal complexity and rough-to-smooth transition in describing bloomed chocolate, 193
Of stored chocolate, 193

Surfactant(s)
Polymer chain of immobilized enzyme grafted to hollow-fiber ion-exchange membrane acts as, 209
Use of polyfunctional fatty amines in synthesis of, 621

T

TAG *see* Triacylglyerol(s)
Tambaqui
Content of essential fatty acids in tissues of captured and farmed, 707
Tandem MS
Use of, to characterize 18:1 *cis* and *trans* 18:1 monoenoic FA in milk fat, 407
TEAC (Trolox equivalent antioxidant capacity)
Correlation between total phenol content and, in extra virgin olive oil, 933
Tea seed oil
Use of, in production of margarine in combination with sunflower oil, 841
Terpenyl ester(s)
Effect of, as inhibitors of oxidation in soybean oil at frying temperature, 1027
Texture
Of binary and ternary blends of fats, 571
Theobroma (*Theobroma cacao*) fat
Ozonation of, 943
Thermal oxidation. *See* Oxidation
Thermodynamic properties
Of epoxidation of karanjaoil with peroxyacetic acid, 635
Thermodynamics
Activation free energy of nucleation of β- and β′-forms, 1
Tocols
Protection against degradation of, by carotenoids at high temperature in hazelnut oil, 691
α-Tocopherol
Preservation of content of, in extra virgin olive oil by added lycopene, 933
Preservation of, in olive oil by neutralization with lime vs. soda, 879
Tocopherol(s)
As an intrinsic component of sunflower seed oil bodies, 341
Content of, in high-oleic sunflower oil, 331
Content of, in oil from cold-pressed *Cannabis sativa* seeds, 323
Content of, in regular sunflower oil, 331
Content of, in virgin olive oil as related to presence of pheophytin α degradation products, 371
Distribution of, in embryonic axes of soybeans, 345
Effect of microwave heating on, content in sunflower seed oil, 777
Found in specialty edible seed oils, 847
Influence of, on stability of soybean oil used for frying potatoes, 435
In wheat germ oil as influenced by hexane and supercritical CO_2 extraction, 863
Interaction of, with phenolic compounds from rapeseed meal, 523
Relation of content of, in oils to other parameters, 303
Relation of content of, to frying stability of sunflower oil, 331
Variation in content of, in pulp oil from *Hippophae* spp., 359
Tocotrienol(s)
Effect of chemical refining on, content of rice bran oil, 315
Variation in content of, in pulp oil from *Hippophae* spp., 359
trans Isomer(s)
Influence of support material on formation of, in palladium-catalyzed hydrogenation of soybean oil, 1063
Transesterification reaction of, with mono-, di-, and triacylglycerols, 765
Transesterification
Alkali-catalyzed ultrasonically assisted extraction, 53
Analytical methods for determining, in formation of, 869
Biphasic water/oil system for enzymatic, of sunflower oil, 21
Base-catalyzed, of *Pongamia* oil to synthesize biodiesel, 873
Base-catalyzed, of vegetable oils, 1041, 1047
Catalysis of, by lipase in reaction between soybean PC and caprylic acid, 609
Catalytic, of castor oil with methoxide and acid catalysts, 819
Catalytic, of cottonseed oil with ethoxide and base catalysts, 819
Determination of conversion of oils to methyl esters in, 869
Enzymatic, 765
Enzymatic, in organic solvent medium, 101
Enzymatic, of sunflower oil, 21
Enzymatic, of trilinolein with selected phenolic acids, 101
Enzymatic, of trilinolenin with selected phenolic acids, 101
Incorporation of epoxy and fatty acids by, of soy phospholipids with lipase vs. chemical catalyst, 1015
Lipase catalysis of, between ethyl ferulate and soybean oil, 753
Of alkyl esters from refined vegetable oils and a homogeneous catalyst in biodiesel production, 79
Of soybean oil to make biodiesel, monitoring of with Raman spectroscopy, 597
Of triacylglycerol to FAME by use of low-frequency ultrasound, 53
Of vegetable oils or animal fats with methanol in the production of biodiesel, 869
Quick method for determining, in formation of, 869
Rate limitation of, by acyl acceptor, 765
Use of, in preparing biodiesel from soybean oil, 457
Transitions
Effects of high hydrostatic pressure and sucrose esters on polymorphic, in cocoa butter, 1007
Transverse relaxation decay deconvolution
Analysis by, an NMR technique to identify proton mobilities, 905
Triacylglycerol(s) (TAG)
Conversion to FAME by ultrasonically assisted extraction transesterification, 53
Diester-, formed from soybean oil for use in lubrication, 129
Ethanolysis of monoacid, 603
FA distribution of, in total lipids of soybean embryonic axes, 345
Kinetics of transesterification of, in formation of biodiesel from *Pongamia* oil, 873
Molecular species and FA distribution of, from total lipids of embryonic axes, 345
Monoenoic fatty acids in bovine milk fat, 407
Reactivity of, with lipase compared with oils having free hydroxyl groups, 765
Release of fatty acids from, by use of 1,3-regioselective lipase, 923
Separation of mixtures of, by $AgNO_3$-TLC, 345
Synthesis of, containing CLA by using blended lipases, 35
Synthesis of, in plants, 171
Trilinolein
Enzymatic transterification of, with selected phenolic acids, 101
Trilinolenin
Enzymatic transterification of, with selected phenolic acids, 101
Tripalmitin
Modeling of spray-freezing of, 1053
Trolox equivalent antioxidant capacity. *See* TEAC

U

Ultrafiltration
Of *Brassica juncea* L. protein isolates, 65
Of defatted lupin proteins for rheology studies, 553
Unsaturated fatty acids
In soybean oil, as affected by temperature during seed fill period, 759
Urea
Used to complex saturated FA in countercurrent distribution of FAME, 547
Urea inclusion
Use of, to produce arachidonic acid-enriched PUFA, 659

V

Vegetable oil(s)
Analysis of FA in, by AOCS Official Method Ce 1h-05, 475
Classification of, as crude or refined by principal component analysis, 303
Correlation of chemical structure and physical properties of, 353

Effects of temperature on viscosity of, 899
Extraction of, supercritical CO_2 and propane, 885
Feruloylated acylglycerols from, 753
Influence of oryzanol content in, on the determination of their free fatty acids content, 999
Isolation of di- and polyunsaturated acyl groups from free fatty acids derived from, by urea inclusion compound-based fractionation, 253
Methoxylation of, to form lubricants, 725
Thermodynamic modeling of phase behavior of, undergoing hydrogenation at supercritical or high-pressure conditions, 461
Williams-Landel-Ferry model of temperature effects on viscosity of, 899
Virgin olive oil. *See* Olive oil
Visceral oil
From Atlantic salmon as source of DHA and EPA, 615
Viscoelastic properties
Of lupin proteins at 12–30%, 553
Viscosity
Correlations of monounsaturated and polyunsaturated fatty acid contents of vegetable oils with their, 899
Effect of number of double bonds on, of biodiesel, 353
Effects of temperature on, of vegetable oils, 899
Influences of chemical structure on, of biodiesel, 353
Modeling of effect of temperature on, of vegetable oils, 899
Vitamin C
Content of, in pulp oil from *Hippophae* spp., 359
Vitamin E
Homologs of, from soybean embryonic

W

Walnut (*Juglans regia*)
Genotypes of, as evidenced by fatty acid, unsaponifiable, and volatile constituents of oil from seeds of, 791
Polyunsaturated fatty acids in oil from seeds of, 791
Sterols in oil from seeds of, 791
Tocopherol contents of oils from seeds of, 791
Volatile compounds in oils of seeds from, 791
Water activity (a_w)
Influence of, on efficiency of enzyme-catalyzed transesterification in non-aqueous media, 765
Wax ester
Composition and content of, in rice bran oil, 449
Wheat
Method for measuring lipase activity in, as indicator of storage quality, 415
Wheat bran
Method for measuring lipase activity in, as indicator of storage quality, 415
Wheat germ oil
Enhanced quality and purity of, through application of supercritical CO_2 extraction and fractionation, 863
Whey protein(s)
Use of, in combination with dried glucose syrup to stabilize oils by microencapsulation, 965
Use of, in study of phase composition of lipid-based food products, 905

X

X-ray diffraction
Of cocoa butter crystals formed at 20°C with or without shear, 583
Xylenol orange
Assay of ozonized theobroma fat for total hydroperoxide content, 943

Z

Zeolites
As catalysts in methoxylation of methyl oleate into methyl methoxy stearate, 725

Author

A

Abdul Rahman, R.B., 187
Ablett, G.R., 759
Abuzaytoun, R., 855
Ackman, R.G., 1069
Adhvaryu, A., 129
Agterof, W.G.M., 513
Aguilera, J.M., 193
Aksoy, H.A., 929
Alpaslan, M., 469
Aluko, R.E., 335
Amarowicz, R., 223
Ambrosone, L., 165
Ammawath, W., 187
Angelici, R.J., 645
Anjum, F., 777
Anniva, C., 371
Anwar, F., 323, 777
Arai, Y., 35
Arruda, C.S., 797
Arteaga Cruz, M., 943
Arumughan, C., 359
Ashraf, M., 323
Asis, C., 11
Augustin, M.A., 965
Ayala, J.V., 315

B

Baharin, B.S., 187
Barhate, R.S., 663
Baroy, R., 11
Barrera-Arellano, D., 691, 797
Barzegar, M., 841
Basu, H., 985
Becker, P.L., 147
Beis, S.H., 953
Bendijo, S., 11
Benzo, Z., 401
Berhow, M.A., 753
Bhattacharyya, D.K., 1015
Biresaw, G., 559
Blackwell, D., 885
Block, J.M., 797
Bober, K., 747
Boocock, D.G.B., 567,641,1041, 1047
Bot, A., 513, 905
Bottini, S.B., 461
Bouzidi, L., 913
Braga, V.S., 597
Braipson-Danthine, S., 571
Brenes, M., 159
Brignole, E.A., 461
Briones, V., 193
Brown, C.A., 193
Brumm, T.J., 981

C

Candal, R.J., 489
Caputo, F., 47
Cardoso, F. de P., 353
Carvalho, A., 341
Carvalho, S.H.V., 819
Castro, W., 47
Ceballos, C.D., 303
Ceglie, A., 165
Cerdeira, M., 489
Cermak, S.C., 429
Chadha, A., 873
Chamy, R., 771
Chandna, D., 873
Che Man, Y.B., 187
Cheng, Y.-R., 201
Cheryan, M., 365
Chew, S.-M., 947
Chiou, S.-Y., 201
Choo, Y.M., 893, 947
Chuah, C.H., 893
Cinelli, G., 165
Cizmeci, M., 1063
Claude, S., 725
Clements, C., 899
Coimbra, M. de. A., 819
Compton, D.L., 753, 765
Conca, K.R., 697
Concha, J., 771
Cooney, D.T., 1053
Cooper, D.G., 137
Cossignani, L., 933
Craig-Schmidt, M., 899
Csallany, A.S., 121
Cuppett, S., 15

D

D'Arco, G., 933
Damiani, P., 933
Damstrup, M.L., 27
Darnoko, D., 365
Das, S., 1015
de Almeida, N.M., 707
De Greyt, W., 315
de Luca, M.A., 147
de Macedo, J.L., 597
de Souza, A.T.C.P., 597
De, B.K., 443
Deak, N.A., 803, 811
DeKeyser, S.S., 429
Demirkol, S., 929
Depaemelaere, G., 315
Deroanne, C., 571
Dias, J.A., 597
Dias, S.C.L., 597
Díaz Gomez, M.F., 943
Diosady, L.L., 65
Diotte, S., 697
Dunford, N.T., 863, 953
Dunlap, C., 435
Duval, F.P., 905

E

Eichner, K., 529
Eisenmenger, M., 863
Eller, F., 863
Erhan, S.Z., 47, 129, 959
Eskin, N.A.M., 331
Essid, K., 879
Esteban Cerdán, L., 215
Estevão, L.R.M., 353
Evangelista, R.L., 713, 785

F

Farhat, I.A., 1
Fasina, O.O., 899
Fattahi-far, E., 841
Ferrão, M.F., 147
Figueirêdo, E.S., 597
Finiels, A., 725
Fisk, I.D., 341
Fleming, T., 885
Foglia, T.A., 629,1021,1033
Foo, S.Y., 15
Franco, M.R.B., 707
Frikha, M.H., 879

G

Garcés Mancheño, R., 943
Garcés, R., 539
Garcez, W.S., 797
García, A., 159
Ghebreyessus, K.Y., 645
Ghesti, G.F., 597
Giacomelli, L.M., 303
Glenns, R.N., 137
Gómez, C., 401
Gopala Krishna, A.G., 117,999
Goto, M., 209
Gotoh, N., 473
Goud, V.V., 635
Gray, D.A., 341
Green, L.A., 429
Griffiths, G., 171
Griffiths, R.J., 1053
Grigoriadou, D., 371
Gunawan, S., 449
Guo, X., 457
Gwie, C.G., 1053

H

Hallman, H., 899
Hammond, E.G., 547,1027
Hansen, S.L., 11, 475
Hao, Z., 847
Hartel, R.W., 389, 505
Hayes, D.G., 253
Hayta, M., 469
He, H.Y., 457
Hemakumar, K.H., 117,999
Hernandez, R., 885
Herrera, M.L., 489
Hill, C.G., Jr., 109
Himawan, C., 1
Hirose, T., 35
Hita Peña, E., 215
Hojilla-Evangelista, M.P., 553, 713, 785
Hosseinian, F.S., 835
Hou, C.T., 677
Hou, G., 759
Humphrey, K.L., 913
Hurburgh, C.R., 421
Hurburgh, C.R., Jr., 981
Hussein, I.H., 529

I

Idris, N.A., 739
Iqbal, M., 777
Isbell, T.A., 429
Iwasaki, Y., 603

J

Jacobi, M.M., 147
Jamil, A., 777
Jensen, A.D., 27
Jensen, T., 27
Johns, M.L., 1053
Johnson, L.A., 39, 71, 731, 803, 811, 973
Jones, K., 629
Ju, Y.-H., 449
Jung, S., 71

K

Kallio, H., 407
Kamal-Eldin, A., 719
Kanrei, S., 345
Karboune, S., 101
Karmee, S.K., 873
Kawakita, H., 209
Kayahan, M., 1063
Kenar, J.A., 269, 429
Kennedy, M.P., 475
Kermasha, S., 101
Khatoon, S., 117, 999
Kiil, S.Z., 27
Kim, I.-H., 109
Kimbaris, A.C., 53
Knothe, G., 823
Kobayashi, T., 93
Konar, S.K., 567, 641
Korkiasaari, K., 407
Kovalenko, I.V., 421
Krishnan, P.G., 59
Krol, E.S., 835
Kumar, K.S., 359
Kuo, M., 231, 239
Kuo, T.M., 671

L

Lachter, E.R., 353
Lamsal, B.P., 71, 731, 973
Lansalot-Matras, C., 725
Laszlo, J.A., 753, 765
Latif, S., 323
Lau, H.L.N., 893
Levinson, W.E., 671
Li, H., 869
Liang, B., 389
Liepa, G.U., 985
Lima, E., 353
Lima, G.E.S., 819
Lin, G., 201
Lin, J., 59
Lin, L.-Y., 201
Linderborg, K., 407
Liu, Z., 129
Loh, S.-K., 947
Lozano, P., 725
Lu, C.-P., 201
Luther, M., 847
Lynch, A., 697

M

Ma, A.N., 893
Mackley, M.R., 583
MacNaughtan, W., 1
Maestri, D.M., 791
Mahajan, S., 567, 641
Manthey, L.K., 429
Marangoni, A.G., 309, 377, 497
Marcano, E., 401
Mariod, A., 529

Marmer, W.N., 1033
Marnoch, R., 65
Martinelli, M., 147
Martinez, J., 863
Martínez-Force, E., 539
Martínez, M.L., 791
Martínez Téllez, G., 943
Martini, S., 489
Masson, L., 691
Mattea, M.A., 303,791
Matthäus, B., 529
Mbaraka, I.K., 79
Meneghetti, M.R., 819
Meneghetti, S.M.P., 819
Mizushina, Y., 345
Moazzami, A.A., 719
Mohamed, A.A., 553
Molina Grima, E., 215
Montesano, D., 933
Moreau, C., 725
Morelló, J.R., 683
Morse, N., 171
Mosca, M., 165
Moser, B.R., 959
Motilva, M.J., 683
Mu, H., 609
Muir, A.D., 835
Muñío Martínez, M.M., 215
Murillo, M., 401
Murphy, P., 803
Murphy, P.A., 71, 731, 973
Musavi, A., 1063
Myers, D.J., 231, 239

N
Nacion, V., 11
Nagao, T., 93
Nakano, H., 603
Narayan, A.V., 663
Narine, S.S., 913
Nascimento, R.S.V., 353
Negishi, S., 35, 93, 261
Ngo, H.L., 629
Noor Lida, H.M.D., 739
Normand, L., 331
Nuñez, A., 1033

O
Offeman, R.D., 153
Oh, J.-H., 1007
Oliveira, A.C., 21
Omoni, A.O., 335
Onal-Ulusoy, B., 1027
Ortiz, J., 691
Orts, W.J., 153

P
Pappas, C.S., 53
Parente, V.C.I., 597
Parry, J., 847
Patwardhan, A.V., 635
Pauls, K.P., 759
Pereda, S., 461
Perepezko, J.H., 389
Perez, J.M., 47
Pernecky, S., 985
Petrović, Z.S., 247
Piazza, G.J., 1021
Pike, O.A., 415
Pioch, D., 725
Piyatheerawong, W., 603
Polissiou, M.G., 53
Porter, W.L., 697
Pradhan, N.C., 635
Prinyawiwatkul, W., 615
Przybylski, R., 331
Psomiadou, E., 371
Pyka, A., 747

Q
Quintal, M., 401

R
Raghavarao, K.S.M.S., 663
Rajcan, I., 759
Ramírez Fajardo, A., 215
Ranjith, A., 359
Ratnayake, W.M.N., 475
Ravi, R., 873
Reitmeier, C., 731
Resck, I.S., 597
Rippke, G.R., 421
Robert, P., 691
Robertson, G.H., 153
Robles Medina, A., 215
Rodrigues, J. de A., Jr., 353
Romero, C., 159
Romero, M.P., 683
Romero, N., 691
Rosa, M.F., 21
Rose, D.J., 415
Rovetto, L., 461
Ruiz-Méndez, M.V., 159
Rusli, J.K., 965

S
Sabally, K., 101
Sahari, M.A., 841
Saito, K., 209
Salas, J., 401
Salas, J.J., 539
Sanguansri, L., 965
Santiwattana, P., 315
Sasmaz, D.A., 929
Sato, K., 261
Sawhney, R.C., 359
Schiltz, H., 645
Schlegel, V., 15
Schwarz, K., 523
Sebright, J.L., 389
Sengupta, A., 985
Seppanen, C.M., 121
Sessa, D.J., 553
Shahidi, F., 223, 855
Shanks, B.H., 79
Sharma, B.K., 129
Shen, Z., 923
Shi, Y., 389
Shimada, Y., 93
Siatis, N.G., 53
Silva, E.C., 819
Simonetti, M.S., 933
Singh, V., 359
Sjövall, O., 407
Solaiman, D.K.Y., 621
Soletti, J.I., 819
Sonwai, S., 583
Soto, C., 771
Sparks, D., 885
Sparsø, F.V., 27
Stapley, A.G.F., 1
Starov, V.M., 1
Stephenson, S.K., 153
Stepien, V., 71
St-Louis, R., 101
Stöckmann, H., 523
Su, L., 847
Suganuma, T., 261
Sugo, T., 209
Sun, T., 615
Sundram, K., 739
Suomela, J.-P., 407
Swanson, B.G., 1007

T
Tamada, M., 209
Tang, D., 309, 377
Tao, J.-C., 659
Tarantilis, P.A., 53
Tate, J., 697
Taylor, S., 863
Tekin, A., 1063
Thiyam, U., 523
Tolimao, J., 11
Tomiyama, Y., 345
Trabelsi, M., 879
Tsimidou, M.Z., 371
Tsuneda, S., 209
Tüter, M., 929

U
Uehara, H., 261
Ueno, S., 261
Uezu, K., 209
Ustun, G., 929

V
Vali, S.R., 449
van Duynhoven, J.P.M., 905
Van Hoed, V., 315
Venugopalan, V.V., 359
Verhé, R., 315
Vikbjerg, A.F., 609
Vlček, T., 247

W
Wada, S., 473
Wang, C., 59
Wang, H., 39
Wang, L., 659
Wang, T., 39
Wang, Y.-H., 653
Warner, K., 435
Watanabe, Y., 93
Westcott, N.D., 835
White, D.A., 341
White, P., 1027
Wijeratne, S.K., 223
Wijesundera, C., 923
Wilson, D.I., 1053
Wolf, C.R., 819
Wright, A.J., 497
Wu, Y.V., 785
Wyatt, V.T., 1033

X
Xie, W., 869
Xu, J., 553
Xu, X., 27,609
Xu, Z., 615

Y
Yamane, T., 603
Yamauchi-Sato, Y., 35,93
Yang, B., 653
Yang, I., 231, 239
Yang, J.-G., 653
Yao, L., 547
Yeomans, W.G., 697
Yoshida, H., 345
Yu, L., 847

Z
Zappi, M., 885
Zerkowski, J.A., 621
Zhang, Y.-X., 659
Zhou, K., 847
Zhou, W., 1041, 1047
Zhou, Y., 505
Zhu, S.L., 457
Zoltan, T., 401
Zúñiga, M.E., 771